

Technical Data Sheet

# Interflon Metal Clean F (aerosol)

Powerful food grade cleaner and degreaser with pressure spray

Multi-purpose cleaner and degreaser for use in the food processing industry. Removes oil, grease, etc. from surfaces. Evaporates rapidly without leaving residues and has penetrating and temporary lubricating properties. Biodegradable and manufactured from renewable resources. When applied in and around a food processing area, the amount used should be the minimum to accomplish the technical effect on machine parts or equipment treated.

Interflon Metal Clean F (aerosol) is listed by the NSF for use in the food industry as a cleaner and degreaser.

**Applications**

For cleaning and degreasing, also while processing food stuff or pharmaceuticals, of bearings, gear wheels, locks, cylinders, chains, sliding, hinges, axles, spindles, conveyor belts, brake systems etc. Also particularly suitable for cleaning asbestos-free brake pads. Do not use for cleaning rubber, plastic components or safety glass.

**Advantages**

- ⊖ Removes oil, grease and other contaminants
- ⊖ Cleans, degreases and evaporates rapidly
- ⊖ Does not contain chlorinated solvents
- ⊖ Leaves no residue behind
- ⊖ Powerful jet for parts which are difficult to reach

**Instructions for use**

Spray liberally onto parts. Allow to penetrate and wipe with a clean cloth or paper. With severe soiling, repeat if necessary. For use in the food industry, also while processing food stuff or pharmaceuticals. After using, all surfaces must be washed with a detergent solution and rinsed with potable water. It is advisable to test a small inconspicuous area to make sure that the cleaning agent does not adversely affect or damage the surface being cleaned. Do not apply to hot surfaces. When cleaning large vertical areas, apply the product from the bottom and work upwards ensuring that the whole area is covered. Cleaning away any dirt is best done from the top in a downwards direction to prevent leaving any streak marks. Do not use the product or allow to dry in direct sunlight.

Note: Interflon Metal Clean F (aerosol) is a very strong cleaner which can affect elastomers and rubbers.

Property	Result	Method
Composition	Mixture of solvents and additives.	
Colour	Colourless	
Odour	Characteristic	
Density 20°C	0.76 g/cm3	
Highest application temperature	40°C	
Biodegradability	92%	OECD 301F
Manufacturing date	The batch number consists of a 8-digit number. The first 4 numbers represent the YY/MM of the manufacturing.	
Shelf life*	6 years	
Vapour pressure 20°C	6400 hPa	
NSF registration number	156455	
NSF	H1	
ISO 21469	Yes	
Halal	Yes	
Kosher	Yes	

\* Shelf life of the product in original and unopened packaging. Storage temperatures <0°C need to be avoided to guarantee product quality.

*This information is based on our best and present knowledge and intended to provide general notes about the product and intended use. Therefore it shouldn't be construed as guaranteeing properties of the product described or suitability for an application. Any existing industrial property rights must be observed. Quality of our products is guaranteed under our General Conditions of Sale. Interflon® and MicPol® are registered trademarks of Interflon BV. Typical properties mentioned in this document are based on our production tolerances and do not represent a specification. Variations that do not affect product performance are to be expected during normal manufacturing. Information provided in this document is subject to change without notice in advance.*